

L Number	Hits	Search Text	DB	Time stamp
-	1	09/902876	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 09:06
-	22	((("5706211") or ("5745689") or ("5819284") or ("5838252") or ("5978837") or ("5995597") or ("6018762") or ("6023700") or ("6052563") or ("6138146") or ("6219694")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:19
-	11	((("5706211") or ("5745689") or ("5819284") or ("5838252") or ("5978837") or ("5995597") or ("6018762") or ("6023700") or ("6052563") or ("6138146") or ("6219694")).PN.	USPAT	2004/10/26 14:21
-	134	((forward or reply or redirect) near3 (message and mail)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:15
-	106	((((forward or reply or redirect) near3 (message and mail)).ab.) and @ad <= "20010711"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:08
-	34	((((forward or reply or redirect) near3 (message and mail)).ab.) and @ad <= "20010711"	USPAT; US-PGPUB	2004/10/28 14:08
-	8	((forward or reply or redirect or response) near3 (message and mail) and host).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:20
-	2	((forward or reply or redirect or response) near8 (message and mail) and host and (messag\$4 near3 (system or apparatus or method))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:23
-	5	((forward\$4 or reply\$4 or redirect\$4 or response\$4) near8 (message and mail) and host and (messag\$4 near3 (system or apparatus or method))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:35
-	1004	((forward\$4 or reply\$4 or redirect\$4 or response\$4) near4 (message and mail) and host and (messag\$4 near3 (system or apparatus or method)))	USPAT; US-PGPUB	2004/10/28 15:36
-	616	((forward\$4 or reply\$4 or redirect\$4 or response\$4) near4 (message and mail) and host and (messag\$4 near3 (system or apparatus or method))) and @ad <20010711	USPAT; US-PGPUB	2004/10/28 15:36
-	0	((forward\$4 or reply\$4 or redirect\$4 or response\$4) near4 (message and mail) and host and (messag\$4 near3 (system or apparatus or method))) and @ad <20010711 and (to and from) near3 (field or box or parameter)	USPAT; US-PGPUB	2004/10/28 15:37
-	0	((forward\$4 or reply\$4 or redirect\$4 or response\$4) near4 (message and mail) and host and (messag\$4 near3 (system or apparatus or method))) and @ad <20010711 and (from) near3 (field or box or parameter) and to near3 (field or box or parameter)	USPAT; US-PGPUB	2004/10/28 15:38
-	11674	((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 07:58

-	8310	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and ((forward\$ or reply\$ or redirect\$ or respon\$) and (message or mail)).ab	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 07:59
-	8310	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and ((forward\$ or reply\$ or redirect\$ or respon\$) and (message or mail)).ab and @ad <= "20010711"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 08:00
-	8310	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and ((forward\$ or reply\$ or redirect\$ or respon\$) and (message or mail)).ab and @ad <= "20010711"	USPAT; US-PGPUB	2004/10/29 08:01
-	7401	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ and (forward\$ or reply\$ or redirect\$ or respon\$) and (message or mail)).ab and @ad <= "20010711"	USPAT; US-PGPUB	2004/10/29 08:01
-	1134	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) and (message or mail)).ab and @ad <= "20010711"	USPAT; US-PGPUB	2004/10/29 08:03
-	300	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail)).ab and @ad <= "20010711"	USPAT; US-PGPUB	2004/10/29 08:05
-	0	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (from) near3 (field or box or parameter) and (to) near3 (field or box or parameter)).ab and @ad <= "20010711"	USPAT; US-PGPUB	2004/10/29 08:04
-	296	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (address or number)).ab and @ad <= "20010711"	USPAT; US-PGPUB	2004/10/29 08:06
-	300	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail)).ab and @ad <= "20010711" and ("blind carbon copy" or bcc)	USPAT; US-PGPUB	2004/10/29 08:07
-	82	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (transparent\$ or "not noticeable")).ab and @ad <= "20010711" and ("blind carbon copy" or bcc)	USPAT; US-PGPUB	2004/10/29 08:22
-	82	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (transparent\$ or "not noticeable")).ab and @ad >= "20010711" and ("blind carbon copy" or bcc)	USPAT; US-PGPUB	2004/10/29 08:13
-	82	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (transparent\$ or "not noticeable")).ab and @ad < "20010711" and ("blind carbon copy" or bcc)	USPAT; US-PGPUB	2004/10/29 08:15

-	82	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (transparent\$ or "not noticeable"))).ab and ("blind carbon copy" or bcc) and (@ad <= "20010711")	USPAT; US-PGPUB	2004/10/29 08:23
-	82	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (transparent\$ or "not noticeable"))).ab and ("blind carbon copy" or bcc)	USPAT; US-PGPUB	2004/10/29 08:24
-	82	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (transparent\$ or un-noticeable or unnoticeable or no\$2 adj noticeable)).ab and ("blind carbon copy" or bcc)	USPAT; US-PGPUB	2004/10/29 08:25
-	82	((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (transparent\$ or un-noticeable or unnoticeable or (no\$2 adj noticeable))).ab and ("blind carbon copy" or bcc)	USPAT; US-PGPUB	2004/10/29 08:26
-	26	(((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (transparent\$ or un-noticeable or unnoticeable or (no\$2 adj noticeable))).ab and ("blind carbon copy" or bcc)) and @pd <= "20010711"	USPAT; US-PGPUB	2004/10/29 09:44
-	52	(((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$) near4 (message or mail) and (transparent\$ or un-noticeable or unnoticeable or (no\$2 adj noticeable))).ab and ("blind carbon copy" or bcc)) and @ad <= "20010711"	USPAT; US-PGPUB	2004/10/29 08:26
-	26	(((((709/206) or (709/207) or (709/223) or (709/224) or (709/225) or (709/248) or (709/245) or (709/232)).CCLS.) and (direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$ or push\$) near4 (message or mail) and (transparent\$ or un-noticeable or unnoticeable or (no\$2 adj noticeable))).ab and ("blind carbon copy" or bcc)) and @pd <= "20010711"	USPAT; US-PGPUB	2004/10/29 09:49
-	239	((direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$ or push\$) near4 (message or mail) and (transparent\$ or un-noticeable or unnoticeable or (no\$2 adj noticeable))).ab and ("blind carbon copy" or bcc)) and @pd <= "20010711"	USPAT; US-PGPUB	2004/10/29 09:52
-	156	((direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$ or push\$) near4 (message or mail) and (transparent\$ or un-noticeable or unnoticeable or (no\$2 adj noticeable))).ab and ("blind carbon copy" or bcc)) and messag\$ near3 (apparatus or method or system) and @pd <= "20010711"	USPAT; US-PGPUB	2004/10/29 09:54
-	24	((direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$ or push\$) near4 (message or mail) and (transparent\$ or un-noticeable or unnoticeable or (no\$2 adj noticeable)) and ("blind carbon copy" or bcc)) and messag\$ near3 (apparatus or method or system)).ab and @pd <= "20010711"	USPAT; US-PGPUB	2004/10/29 09:56
-	10	((direct\$ near3 (forward\$ or reply\$ or redirect\$ or respon\$ or push\$) near4 (message or mail) and (transparent\$ or un-noticeable or unnoticeable or (no\$2 adj noticeable)) and ("blind carbon copy" or bcc)) and messag\$ near3 (apparatus or method or system)).ab and @pd <= "20010711"	USPAT; US-PGPUB	2004/10/29 12:28
-	1002	(709/206).ccls. and (wireless or mobile) and server	USPAT; US-PGPUB	2004/10/29 12:29
-	0	((709/206).ccls. and (wireless or mobile) and server).ab.	USPAT; US-PGPUB	2004/10/29 12:32

-	1002	((709/206).cccls. and (wireless or mobile) and server)	USPAT; US-PGPUB	2004/10/29 12:32
-	486	((709/206).cccls. and (wireless or mobile) and server) and @ad <= "20010711"	USPAT; US-PGPUB	2004/10/29 12:32
-	12	((709/206).cccls. and (wireless or mobile) and server) and @ad <= "20010711") and (append and extract)	USPAT; US-PGPUB	2004/10/29 16:05
-	53	((message or mail) near3 (manag\$) and forward\$).ab.	USPAT; US-PGPUB	2004/10/29 16:09
-	39	((message or mail) near3 (manag\$) and forward\$).ab.) and @ad <= "20010711"	USPAT; US-PGPUB	2004/10/29 16:11
-	2	6779022.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 06:09
-	11	((("5577202") or ("5844969") or ("5956521") or ("6138146") or ("6606647"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 06:10
-	5	((("5577202") or ("5844969") or ("5956521") or ("6138146") or ("6606647"))).PN.	USPAT	2004/11/01 06:10
-	1	((message or mail or email or e-mail) and (repl\$ or respon\$)).ab. and (bcc or "blind carbon copy") and "sent items"	USPAT	2004/11/01 09:11
-	28	((message or mail or email or e-mail) and (repl\$ or respon\$)).ab. and (bcc or "blind carbon copy")	USPAT	2004/11/01 09:12